

  
GAS FIRES



Homeflame Harmony Black  
Winner CORGI award BEST GAS FIRE 2007



Millions of homes across the UK have stayed warm for over 100 years thanks to Valor, the country's leading manufacturer of fires.



Founded in 1890, when a Birmingham-based manufacturer began selling oil storage containers, attention soon turned to heating, with the production of oil heaters marking the birth of the first Valor heaters.

Outstanding technological developments and continual investment in product design over the years have kept Valor at the forefront of the heating industry.

1966 marked the production and sale of the first Valor radiant gas fire, followed just ten years later by the first 'living' flame gas fire complete with imitation fuel bed. A hugely significant turn in product design, the innovative 'living' flame fire once again proved Valor's position as a ground-breaking market leader.

The turn of the millennium hailed another new era for Valor, with the merger of Newmond plc and Baxi Group; bringing together three of the world's leading fire brands, Baxi, Valor and Wonderfire, under one umbrella: Valor Fires. Now working from one purpose built factory, Valor Fires looks forward to heating UK homes for decades to come.



# High Efficiency Gas Fires



Valor Fires are dedicated to the development of products which minimise their impact on the environment.

Standard inset convector fires have an energy efficiency of around 65%. Valor, however, have a large selection of high efficiency fires. With up to 89% nett efficiency, these fires convert more of the energy input in to a useable energy output and can be 38% less expensive to run.



## Homeflame Range

Up to 89% efficiency and 4.3kW heat output, the Homeflame range is the benchmark in high efficiency fires.

See pages 5 - 8



## Balanced Flue

Balanced flue fires are room sealed, and are so called as they balance the level of incoming and outgoing air, which makes them very energy efficient.

See pages 31 - 34



## Outset / Radiants

Valor radiant fires offer 79% efficiency rating with heat you can feel, while Outset fires can have a coal effect living flame and achieve efficiencies up to 88%.

See pages 38 - 44



## Wood Burning

Valor's wood burning stoves offer up to 80% efficiency, with great heat outputs of up to 7kW. In addition, burning wood is a carbon neutral process, as no more carbon is released when wood is burned than the tree has absorbed from the atmosphere during its lifetime.

See pages 45-46

Regardless of which fire you choose, using your fireplace could help you to cut your overall fuel costs. Using your gas fire to top up the warmth in the room you are using, rather than increasing a few degrees on the central heating system can save energy and cost. So instead of reaching for the thermostat, light your gas fire and reduce waste.

UP TO  
**89%\*\***  
EFFICIENT

The Valor Homeflame collection of fires are the most energy efficient, chimney installed living flame fires in the market.

UP TO  
**38%**  
LESS  
EXPENSIVE

Valor Homeflame fires are up to 38% less expensive to run than other inset living flame gas fires on the market.\*

UP TO  
**4.3kW**  
IMPRESSIVE  
OUTPUT

Valor Homeflame fires combine an exceptionally good looking gas fire with an impressive output of up to 4.3kW.

- 3 piece moulded fuel bed on Harmony & Dream
- Easy to use controls (Fireslide™ top control on Harmony & Dream; remote control on Eminence)
- Realistic flame picture even when on a low setting

\* When compared to a standard inset living flame fire with efficiency of 65%.

\*\* Net calorific efficiency





Available in black finish with chrome inlays the Eminence high efficiency is the latest edition to the Homeflame range.

The distinctive bar design compliments the soft curves of the surround to create a contemporary fire suitable for the more modern settings. The impressive heat output and log effect bed combine with a reversible back panel in black or brick effect to create an ambience of a real fire. Easy to operate from the comfort of your own armchair with full remote control.



Eminence with black back panel



Product	Max. Heat Output	Control Position	Chimney Flue Type
Homeflame Eminence	4.3kW	Remote Control	Brick chimney

# HOMEFLLAME DREAM



89%  
High Efficiency

Homeflame Dream,  
offers 89% efficiency.



The Homeflame Dream is a more traditional style of gas fire that comes in a choice of black, gold or chrome finishes.

Product	Max. Heat Output	Control Position	Chimney Flue Type
Homeflame Dream	4.0kW	<b>FireSlide®</b> Top Control	Brick chimney Prefabricated flue Pre-cast flue



# HOMEFLAME HARMONY



## Homeflame Harmony leading the way in both style and efficiency.

The Homeflame Harmony offers an ultra modern chic style with a choice of black, champagne or silver finishes. The ceramic coal bed compliments the distinctive contemporary bar design and it provides an exceptionally realistic flame picture, even when on a low setting.



Product	Max. Heat Output	Control Position	Chimney Flue Type
Homeflame Harmony	4.0kW	<b>FireSlide®</b> Top Control	Brick chimney Prefabricated flue Pre-cast flue



The Adorn offers authentic turn-of-the-century cast iron styling coupled with a heart-warming 4.0kW Activeheat™ output.

This is a fire that gives you the best of both worlds. On the one hand, authentic period styling, including cast iron fascia and intricate canopy detailing, it offers a classic look. On the other, it manages to combine exceptional heating power with reassuringly low running costs.

Product	Max. Heat Output	Control Position	Chimney Flue Type
Adorn	4.0kW	<b>FireSlide®</b> Top Control	Brick chimney Prefabricated flue Pre-cast flue







### The Valor Visage - a true classic.

The Visage is available in black with brass or just brass; it gives a timeless look to any room.

For ease of use the Visage has been fitted with a **FireSlide®** control so you don't have to get down on your hands and knees to adjust the fire.



Product	Max. Heat Output	Control Position	Chimney Flue Type
Visage	4.0kW	<b>FireSlide®</b> Top Control	Brick Chimney Prefabricated flue Pre-cast flue



## A modern classic update of a regency period design.

Boasting a substantial fully cast pewter effect trim, the Westminster combines bold lines and intricate detailing to present a modern take on a traditional style. Suitable for all homes the Westminster has both deep and slimline fuel beds for ultimate versatility, the slimline also includes fireside top control for easy operation. The impressive 3.5kW output completes this package.

An electric version of the Westminster is also available (please refer to Valor Electric brochure).

Product	Max. Heat Output	Control Position	Chimney Flue Type
Westminster	3.5kW	Manual Bottom Control	Brick chimney Prefabricated flue Pre-cast flue
Westminster Slimline	3.1kW	<b>FireSlide®</b> Top Control	Brick chimney Prefabricated flue Pre-cast flue



The delightful Dream offers all the looks of a real coal fire without any of the time-consuming maintenance.

Fitted with **FireSlide®** top control the Dream allows effortless operation enabling you to turn the fire on, off, up or down without kneeling down.

Available in a choice of gold, black or chrome finishes the Dream guarantee's to be a stunning focal point in any room.

An electric version of the Dream is also available (please refer to Valor Electric brochure).



Product	Max. Heat Output	Control Position	Chimney Flue Type
Dream	3.5kW	<b>FireSlide®</b> Top Control	Brick chimney Prefabricated flue Pre-cast flue



Dream Slimline

## Enjoy the fire of your dreams.

The Dream Convector and its Slimline counterpart are available in gold, black or chrome finishes. The substantial cast iron frame and style-lines will add warmth and charm to any interior and with a **FireSlide®** top control, turning the fire on and off is hassle free.

The Dream Convector boasts an exceptional 4.0kW activeheat™ output while the Dream Convector Slimline allows modern homes with shallower flues to enjoy those classic Dream looks.



Dream Convector

Product	Max. Heat Output	Control Position	Chimney Flue Type
Dream Convector	4.0kW	<b>FireSlide®</b> Top Control	Brick chimney Prefabricated flue Pre-cast flue
Dream Convector Slimline	3.5kW	<b>FireSlide®</b> Top Control	Brick chimney Prefabricated flue Pre-cast flue







Ideal for the narrowest of flues, the Ultimate is a subtle modern take on the traditional gas fire.

The Ultimate provides all the atmosphere and ambience of a real coal fire with none of the mess. Available in a choice of black or brass, the Ultimate offers an impressive 3.5kW activeheat™ output.

The Ultimate is the slimmest fire on the market and is suitable for all pre-cast flues.



Product	Max. Heat Output	Control Position	Chimney Flue Type
Ultimate	3.5kW	Manual Bottom Control	Brick chimney Prefabricated flue Pre-cast flue



Heritage Slimline

A legacy to traditional styles, the Heritage fire is equally at home in modern settings.

Available in a choice of antique silver or gold the Heritage is available in slimline and full depth versions. Featuring **FireSlide®** top control for effortless operation and suitable for all chimney or flue types.



Deep Fuel Bed

Product	Max. Heat Output	Control Position	Chimney Flue Type
Heritage	3.5kW	<b>FireSlide®</b> Top Control	Brick chimney Prefabricated flue Pre-cast flue
Heritage Slimline	3.1kW	<b>FireSlide®</b> Top Control	Brick chimney Prefabricated flue Pre-cast flue

# DECADENT



Bringing that warm homely feeling to any interior, the Decadent comes in chrome or brass finish.

For ultimate versatility this fire is available with either deep or slimline coal beds. The Decadent range has a solution for every home with balanced flue and electric options available, that do not require a chimney (see page 35 and the Valor electric brochure).



Deep Fuel Bed



Product	Max. Heat Output	Control Position	Chimney Flue Type
Decadent	4.0kW	<b>FireSlide®</b> Top Control	Brick chimney Prefabricated flue Pre-cast flue
Decadent Slimline	3.5kW	<b>FireSlide®</b> Top Control	Brick chimney Prefabricated flue Pre-cast flue



### Elegant and inviting.

The new Capri gas fire offers a clean and simple take on a classic style. With a gentle curved solid brass fret and traditional style fascia the Capri provides a timeless, classic feel to any living room.

An electric version of the Capri is also available (please refer to Valor Electric brochure).

Product	Max. Heat Output	Control Position	Chimney Flue Type
Capri	3.1kW	Manual Bottom Control	Brick chimney Prefabricated flue Pre-cast flue





The low maintenance, high performance alternative to a real coal fire.

Both attractive and practical, the Blenheim gas fire emulates a real fire in every way, featuring a classic brass frame and clean-lined front the Blenheim is suitable for homes with deeper chimneys or flues. Blenheim Slimline is also available in black and chrome variants.

Electric version of the Blenheim are is available (please refer to separate Valor Electric brochure).



Deep Fuel Bed



Slimline Fuel Bed

Product	Max. Heat Output	Control Position	Chimney Flue Type
Blenheim	3.5kW	Manual Bottom Control	Brick chimney Prefabricated flue Pre-cast flue
Blenheim Slimline	3.1kW	Manual Bottom Control	Brick chimney Slimline Prefabricated flue Pre-cast flue



The Tranquility is the very epitome of contemporary design.

With its refined chrome frame and glass fascia providing a cool contrast to the natural pebble bed, the Tranquility gas fire will create a lasting impact in any room interior.

Product	Max. Heat Output	Control Position	Chimney Flue Type
Tranquility	2.4kW	Manual bottom control	Brick chimney Prefabricated flue Pre-cast flue



The Icon is destined to be the focus of attention in any room.

Specially designed for either hole-in-the-wall or hearth mounting, this fire is not only beautiful to look at, it's also a star performer. Available in either silver with pebbles or champagne with coals, the Icon is capable of an impressive 4.0kW Activeheat™ output. It boasts a **FireSlide®** top control for easy operation.



Product	Max. Heat Output	Control Position	Chimney Flue Type
Icon	4.0kW	<b>FireSlide®</b> Top Control	Brick chimney Prefabricated flue Pre-cast flue



### Attractive Artura.

The Artura has a slender rectangular frame in a light off-white finish, which is easy-clean so you can keep that pristine look with the minimum of effort. A gently protruding plinth contains a pebble fuel bed backed by a charcoal grey panel completing the simple, eye-catching design that will create a stunning centrepiece in any room.

Product	Max. Heat Output	Control Position	Chimney Flue Type
Artura	2.6kW	Manual Control	Brick chimney Prefabricated flue Pre-cast flue





A contemporary hang on the wall landscape fire which boasts a smart two-tone fascia in black and white.

The ultimate style statement, the two tone fascia provides a dramatic back drop to the flames that emerge from the heart of a smooth pebble bed. Perfectly styled this fire will create an impact all year round.

Product	Max. Heat Output	Control Position	Chimney Flue Type
Visia	2.6kW	Manual Control	Brick chimney Prefabricated flue Pre-cast flue



Break free from the norm with this ultra modern fire that creates a design statement in the most minimalist homes.

The clean lines and cool sophisticated brushed steel finish sets this fire apart from the competition, whilst the dark coal fuel bed adds impact to interiors. The remote control feature means operating this fire, with a 3.0kW output, couldn't be easier.

An electric version of the Liberty is also available (please refer to Valor Electric brochure).



Product	Max. Heat Output	Control Position	Chimney Flue Type
Liberty	3.0kW	Remote Control	Brick chimney Prefabricated Flue Precast Flue



## Envy is a fire with attitude.

With its Art Deco styling, clean, elegant lines, sleek chrome surround and black and chrome fire front, the Envy will compliment any modern interior. The **FireSlide®** top control means it is operated effortlessly.

An electric version of the Envy is also available (please refer to Valor Electric brochure).

Product	Max. Heat Output	Control Position	Chimney Flue Type
Envy	3.1kW	<b>FireSlide®</b> Top control	Brick chimney Prefabricated flue Pre-cast flue



The Obsession fire from Valor is a design classic that will create a stunning centrepiece.

Neutral styling and classic interiors showcase this fire to its full potential, while the pebble bed adds a contemporary twist. The textured chrome weave front is a distinctive feature of the fire and the **FireSlide®** top control means it is operated effortlessly.

An electric version of the Obsession is also available (please refer to Valor Electric brochure).



Product	Max. Heat Output	Control Position	Chimney Flue Type
Obsession	4.0kW	<b>FireSlide®</b> Top control	Brick chimney Prefabricated flue Pre-cast flue
Obsession Slimline	3.4kW	<b>FireSlide®</b> Top control	Brick chimney Prefabricated flue Pre-cast flue







### Sleek sophisticated Seattle.

The Seattle has a brushed steel curved front and comes with a beautiful pebble bed, making it the ideal choice for any contemporary interior.

The Seattle Slimline is also available with a coal fuel bed.

An electric version of the Seattle is also available (please refer to Valor Electric brochure).



Product	Max. Heat Output	Control Position	Chimney Flue Type
Seattle	3.8kW	Manual Bottom Control	Brick chimney Prefabricated flue Pre-cast flue
Seattle Slimline	3.1kW	Manual Bottom Control	Brick chimney Prefabricated flue Pre-cast flue

# DGF WITH QUATTRO



A stylish decorative gas fire. Uniting soft edges, gentle curves and a sleek chrome finish, the elegant Quattro is available with either a pebble or coal bed.



Choose a fuel bed



Pebble



Coal

Product	Max. Heat Output	Control Position	Chimney Flue Type
Quattro	2.7kW	Manual Bottom Control	Brick chimney



Looking for a beautifully designed fire that makes a real feature of your fireplace?

The Majestic is a stylish decorative gas fire that provides almost endless interior design options – a coal or pebble fuel bed, and black, brass or black and brass frets.

Choose a fuel bed



Pebble



Coal

Choose a fret



black



brass



black and brass

Product	Max. Heat Output	Control Position	Chimney Flue Type
Majestic	2.7kW	Manual Bottom Control	Brick chimney



### For a modern fashionable design look no further than the stylish Arc.

This open fronted basket gas fire adds a warm welcome to any room with its contrasting charcoal and chalk white finish. Whilst the central domed oval pebble fuel bed makes an attractive focus to this neat manually controlled fire.

The chalk white curved plate is solid cast iron finished with high quality enamel, providing a premium finish to this uniquely designed gas fire basket.

Product	Max. Heat Output	Control Position	Chimney Flue Type
Arc	2.22kW	Manual	Brick Chimney



# SPANISH BASKET



This beautiful ornate fire comes with classic Spanish style detailing.

Available in black and silver effect, its deep fuel coal bed provides real flames to warm your home through the winter months.

Product	Max. Heat Output	Control Position	Chimney Flue Type
Spanish Basket	2.9kW	Manual	Brick Chimney

# BLACK BEAUTY UNIGAS



Our well-known and much-loved Black Beauty fires offer exceptional performance coupled with superb economy.

Black Beauty Unigas balanced flue is a version of our popular Black Beauty fire designed exclusively for homes without chimneys. It is exquisitely styled with intricate brass detailing - a truly striking centrepiece that offers exceptional efficiency at 79%.

Product	Max. Heat Output	Control Position	Chimney Flue Type
Black Beauty Unigas	3.5kW	Side Control	No Chimney

# ULTIMATE BALANCED FLUE



84%  
High Efficiency

## No chimney? It's no problem with the Ultimate Balanced Flue.

This popular balanced flue model gives you the opportunity to have an attractive inset gas fire with a stylish glass front. Available in black, chrome or brass finish, the refined sophistication of the Ultimate balanced flue will complement both modern and traditional interiors.

The Ultimate Balanced Flue can be installed into the wall cavity or, flat against the wall by using an optional extra spacer kit and offers exceptional efficiency at 84%.



Product	Max. Heat Output	Control Position	Chimney Flue Type
Ultimate Balanced Flue	2.8kW	Manual Bottom Control	No Chimney

# SEATTLE BALANCED FLUE



Sleek sophisticated Seattle - no chimney option.

The Seattle has a brushed steel curved front and beautiful pebble bed, making it the ideal choice for any home without a chimney.

Product	Max. Heat Output	Control Position	Chimney Flue Type
Seattle Balanced Flue	2.8kW	Manual Bottom Control	No Chimney



# DREAM BALANCED FLUE



Stylish and efficient, Dream balanced flue is perfect for homes without a Chimney

Now you can have the classic Dream looks and the delightful dancing flames in homes without a chimney. Also, Dream balanced flue offers an impressive 84% efficiency and 2.8kW heat output.



Product	Max. Heat Output	Control Position	Chimney Flue Type
Dream Balanced Flue	2.8kW	Top Control	No Chimney

# DECADENT BALANCED FLUE



Indulge yourself with a Decadent balanced flue, suitable for homes without a chimney.

With the decadent balanced flue homes can bask in the warm glow of realistic flickering flames. Perfect for those who want the comfort and homely feel of a gas fire, but do not have a chimney or flue.



Product	Max. Heat Output	Control Position	Chimney Flue Type
Decadent Balance Flue	2.7kW	Top Control	No Chimney

# DREAM FAN FLUE



If you don't have a chimney but want to enjoy an open-fronted fire then the Dream Fan Flue may well be ideal for you.

Available in either sophisticated chrome, dramatic black or luxurious gold, this tasteful inset living flame fire cleverly uses a fan to expel the gases through the wall to the outside.



Product	Max. Heat Output	Control Position	Chimney Flue Type
Dream Fan Flue	3.1kW	Manual Bottom Control	No Chimney

# BLACK BEAUTY SLIMLINE



Our well-known and much-loved Black Beauty fires offer exceptional performance coupled with superb economy.

The Black Beauty Slimline has a beautiful flame picture to add ambience and character to any room and comes with a distinctive pagoda shaped canopy highlighted with brass detailing.

Product	Max. Heat Output	Control Position	Chimney Flue Type
Black Beauty Slimline	4.0kW	Side Control	Brick chimney Prefabricated flue Pre-cast flue





At home in any room, Heartbeat Oxysafe boasts excellent heat output, advanced safety standards, exceptional reliability and easy operation.

The stylish glass front of the Heartbeat Oxysafe shows off its real flame effect fuel bed beautifully.

Product	Max. Heat Output	Control Position	Chimney Flue Type
Heartbeat Oxysafe	3.6kW	Side Control	Brick chimney Prefabricated flue Pre-cast flue



## The Firelite Oxysafe offers exceptional reliability and easy operation.

The Firelite Oxysafe's white ceramic radiants ensure a truly impressive performance. The Firelite Oxysafe offers a cost effective heating option that doesn't compromise on standards of style, reliability and performance, making it an ideal choice. An electronic ignition variant is also available making the fire incredibly simple to operate.

Product	Max. Heat Output	Control Position	Chimney Flue Type
Firelite Oxysafe	4.0kW	Top Control	Brick chimney Prefabricated flue Pre-cast flue



Esquire. As the name suggests this fire deserves respect.

In a fashionable olive bronze finish, this fire features easy to use top controls, and also is available with electronic ignition. Slimline and elegant, the Esquire has earned its place in the market.

Product	Max. Heat Output	Control Position	Chimney Flue Type
Esquire	4.0kW	Top Control Electronic Ignition Also available	Brick chimney Prefabricated flue Pre-cast flue



With a choice of teak or mahogany effect top and side panels, the Brava lives up to its name in every way.



Featuring easy to use top control and suitable for all homes.

Product	Max. Heat Output	Control Position	Chimney Flue Type
Brava	4.0kW	Top Control	Brick chimney Prefabricated flue Pre-cast flue





79%  
High Efficiency

Prepare to be enticed, the Charm of this radiant fire will leave you unable to resist.

With a heat output of 4kW and choice of teak or mahogany top panel, the Charm cannot be overlooked.  
Suitable for all chimneys & flues, the top control position makes it effortless to operate.



Product	Max. Heat Output	Control Position	Chimney Flue Type
Charm	4.0kW	Top Control	Brick chimney Prefabricated flue Pre-cast flue

# BLACK BEAUTY RADIANT



At home in any room, the Black Beauty Radiant boasts excellent heat outputs.

With its distinctive styling, the Black Beauty Radiant is incredibly efficient and economical. An additional disability control can be used instead of the top positioned existing control, to assist with easier operation of the fire (as shown).



Product	Max. Heat Output	Control Position	Chimney Flue Type
Black Beauty Radiant	4.0kW	Top Control	Brick chimney Prefabricated flue Pre-cast flue



## Wood Burning Stoves.

With smooth lines and perfect proportions the Wood Burning Stoves range is ideal for those seeking an authentic heating experience in their home. Fashionable yet affordable, our wood burning stoves also burn peat or coal giving you flexibility, performance and reliability. Whilst providing warmth for a room, our wood burning stoves can also be topping up your central heating system. An add in boiler element can be connected to the stove to provide heat to water, towel rail /radiator and will help reduce primary heating costs. For more information please visit [www.valor.co.uk](http://www.valor.co.uk)

Please note the matrix assumes an average ceiling height of 2.4mm. The suitability of each stove is calculated by multiplying room height x room width x room depth and dividing by 14 which gives the average heating requirements for the room in kilowatts. In many cases, more than one stove is suitable due to overlaps in the heating outputs.



HAMLET



WILLOW

## Which of the stoves is right for me?

Please use the matrix below to find the stove for you  
- room width x length (metres)

	1	2	3	4	5	6	7
1			Arden/Willow	Arden/Willow	Arden/Willow	Arden/Willow	Arden/Willow
2		Arden/Willow	Arden/Willow	Arden/Willow	Arden/Willow	Arden/Willow	Arden/Willow Hamlet
3	Arden/Willow	Arden/Willow	Arden/Willow	Arden/Willow Hamlet	Arden/Willow Hamlet	Arden/Willow Arden	Hamlet/ Arden
4	Arden/Willow	Arden/Willow	Arden/Willow	Arden/Willow Hamlet	Arden/Willow Hamlet	Hamlet/ Arden	Hamlet
5	Arden/Willow	Arden/Willow	Arden/Willow Hamlet	Arden/Willow Hamlet	Hamlet/Arden	Hamlet	Hamlet
6	Arden/Willow	Arden/Willow	Arden/Willow Hamlet	Hamlet/Arden	Hamlet	Hamlet	Hamlet
7	Arden/Willow	Arden/Willow Hamlet	Hamlet/Arden	Hamlet	Hamlet	Hamlet	Hamlet



# which fire is right for you?

## We want you to enjoy your new Valor fire right from the very start.

That's why we've made it so easy for you to select the fire that's perfect for you and your home. Look at the pictures below and decide which one best matches the chimney at your home then, when you're reading through our brochure and find a fire you like, simply check it's suitable for the chimney at your property.

### Brick built chimney (deep chimney)

Suitable for all fires, the classic brick-built chimney can handle fires with a deep bed right through to shallower slimline styles.



### Prefabricated flue (deep flue)

Suitable for most fires, pre-fabricated flues are deep enough to take most of the deep models and all of the slimline styles.



### Pre-cast flue (slimline flue)

Usually found in modern homes, pre-cast flues are suitable for a wide range of slimline fires. However, a number of deeper fires can be adapted for pre-cast flues with the use of a spacer kit. Please note - some remedial building work may be required, please consult your builder or contact the technical team on the number at the back of the brochure.



### No chimney or flue

Our wide range of gas and electric fires can be fitted in most homes, even if you have no chimney or flue we have a selection of fires for you. A separate brochure is available for our electric range.







### Activeheat™ and radiant heat

All fires give out radiant heat. The heat moves outwards from the fire, so the closer you get to the fire the warmer you feel. Whilst this is suitable for most homes, creating additional warmth throughout the room can take some time. This is where Activeheat™ helps. Fires with Activeheat™ not only give out radiant heat but actively draw in the cold air from the room, pass it through a heat exchanger to warm it up and circulate it back around the room by means of natural convection.

2	VALOR HISTORY
3	WHICH FIRE IS RIGHT FOR YOU?
	<b>HIGH EFFICIENCY RANGE</b>
5	HOMEFLAME RANGE
6	HOMEFLAME EMINENCE
7	HOMEFLAME DREAM
8	HOMEFLAME HARMONY
	<b>INSET FIRES</b>
9	ADORN
10	VISAGE
11	WESTMINSTER
12	DREAM
13	DREAM CONVECTOR & SLIMLINE
14	ULTIMATE
15	HERITAGE
16	DECADENT
17	CAPRI
18	BLENHEIM
19	TRANQUILITY
20	ICON
21	ARTURA
22	VISIA
23	LIBERTY
24	ENVY
25	OBSESSION
26	SEATTLE
	<b>DECORATIVE GAS FIRES (DGF)</b>
27	QUATTRO
28	MAJESTIC
29	ARC
30	SPANISH BASKET
	<b>NO CHIMNEY FIRES (BALANCE FLUE)</b>
31	BLACK BEAUTY UNIGAS
32	ULTIMATE
33	SEATTLE
34	DREAM
35	DECADENT
	<b>NO CHIMNEY FIRES (POWER FLUE)</b>
36	DREAM
	<b>OUTSET FIRES</b>
37	BLACK BEAUTY SLIMLINE
38	HEARTBEAT
	<b>RADIANT FIRES</b>
39	FIRELITE
40	ESQUIRE
41	BRAVA
42	CHARM
43	BLACK BEAUTY RADIANT
	<b>WOOD BURNING STOVES</b>
44	ARDEN
45	HAMLET & WILLOW


# SPECIFICATIONS & DIMENSIONS

Page	Valor Fire	Product Codes	heat output (kW)		heat input (kW)		Control type and position	Safety Features		Chimney/	
	Product Name & Gas Type Natural Gas (NG) Or (LPG) ♦		Min	Max	Min	Max	Control	OXYSAFE® System Device	Flame Supervision	Brick Built Chimney Flue 	Pre-Fabricated 
high efficiency	6 Homeflame Eminence NG & LPG	Black 0576211	2.37NG	4.23NG	3.3NG	5.6NG	Full Remote Control	✓	✓	✓	×
	7 Homeflame Dream NG	Gold 0576101 Chrome 0576111 Black 0576121	1.8NG	4.0NG	2.3NG	5.0NG	FireSlide® Top control	✓	✓	✓	✓↑
	8 Homeflame Harmony NG	Silver 0576131 Black 0576141 Champagne 0576161	1.8NG	4.0NG	2.3NG	5.0NG	FireSlide® Top control	✓	✓	✓	✓↑
	9 Adorn NG & LPG ♦	Engine 0574001 Fret Black/Brass 05740P1	1.5NG	4.0NG	2.7NG	6.85NG	FireSlide® Top control	✓	✓	✓	✓↑
	10 Visage NG & LPG ♦	Black 0564011 Brass 0564041	1.5NG	4.0NG	2.7NG	6.8NG	FireSlide® Top control	✓	✓	✓	✓↑
	11 Westminster NG & LPG ♦	05941X1	0.9NG	3.5NG	2.3NG	6.8NG	Manual	✓	✓	✓	✓↑
	11 Westminster Slimline NG	05748F1	1.5NG	3.1NG	2.7NG	6.0NG	FireSlide® Top control	✓	✓	✓	✓
	12 Dream NG & LPG ♦	Gold 0564111 Chrome 0564121 Black 0564131	1.1NG	3.5NG	2.7NG	6.8NG	FireSlide® Top control	✓	✓	✓	✓↑
	13 Dream Convector NG & LPG ♦	Gold 05740L1 Chrome 05740M1 Black 05740N1	1.5NG	4.0NG	2.7NG	6.85NG	FireSlide® Top control	✓	✓	✓	✓↑
	13 Dream Convector Slimline NG & LPG ♦	Gold 05750S1 Chrome 05750T1 Black 05750U1	1.5NG	3.5NG	2.7NG	6.0NG	FireSlide® Top control	✓	✓	✓	✓
inset gas fires	14 Ultimate NG & LPG ♦	Brass BR41761 Black BR41771	1.2NG	3.5NG	2.7NG	6.8NG	Manual	✓	✓	✓	✓
	15 Heritage NG & LPG ♦	Silver 0574181 Gold 05741F1	1.1NG	3.5NG	2.7NG	6.8NG	FireSlide® Top control	✓	✓	✓	✓↑
	15 Heritage Slimline NG & LPG ♦	Silver 0574841 Gold 0574851	1.4NG	3.1NG	2.7NG	6.0NG	FireSlide® Top control	✓	✓	✓	✓
	16 Decadent NG & LPG ♦	Brass 05740V1 Chrome 05740W1	1.5NG	4.0NG	2.7NG	6.85NG	FireSlide® Top control	✓	✓	✓	✓↑
	16 Decadent Slimline NG & LPG ♦	Brass 05750B1 Chrome 05750C1	1.4NG	3.5NG	2.7NG	6.0NG	FireSlide® Top control	✓	✓	✓	✓
	17 Capri NG	Brass 05956A2	1.3NG	3.1NG	2.3NG	6.0NG	Manual	✓	✓	✓	✓
	18 Blenheim NG & LPG ♦	Brass 0594151	1.3NG	3.5NG	2.3NG	6.8NG	Manual	✓	✓	✓	✓↑
	18 Blenheim Slimline NG & LPG ♦	Brass 0595661 Chrome 05956D6 Black 05956D7	1.2NG	3.1NG	2.3NG	6.0NG	Manual	✓	✓	✓	✓
	19 Tranquility NG	Chrome 05754R1	1.4NG	2.4NG	3.1NG	5.2NG	Manual	✓	✓	✓	✓
	20 Icon NG & LPG ♦	Champagne 05640B1 Silver 05740T1	1.5NG	4.0NG	2.7NG	6.8NG	FireSlide® Top control	✓	✓	✓	✓↑
	21 Artura NG	Chalk White 05754D1	1.5NG	2.6NG	3.0NG	5.0NG	Manual	✓	✓	✓	✓
	22 Visia NG	05754W1	1.5NG	2.6NG	3.0NG	5.1NG	Manual	✓	✓	✓	✓↑
	23 Liberty NG & LPG ♦	05752A1	0.87NG	3.0NG	1.7NG	6.0NG	Remote Control	✓	✓	✓	✓↑
	24 Envy NG & LPG ♦	Chrome 0574861	1.5NG	3.1NG	2.7NG	6.0NG	FireSlide® Top control	✓	✓	✓	✓
	25 Obsession NG & LPG ♦	Chrome 0574011	1.5NG	4.0NG	2.3NG	6.8NG	FireSlide® Top control	✓	✓	✓	✓
	25 Obsession Slimline NG & LPG ♦	Chrome 0575011	1.5NG	3.4NG	2.7NG	6.0NG	FireSlide® Top control	✓	✓	✓	✓
	26 Seattle NG & LPG ♦	Chrome Pebble 05941E1	0.9NG	3.8NG	2.3NG	6.8NG	Manual	✓	✓	✓	✓↑
	26 Seattle Slimline NG & LPG ♦	Chrome 0595603 Chrome Coal 05956Z1	1.3NG	3.1NG	2.3NG	6.0NG	Manual	✓	✓	✓	✓
	27 Quattro NG & LPG ♦	Fret only ♦ Chrome 0563981	0.8NG	2.7NG	n/a	6.9NG	Manual	✓	✓	✓	×
	28 Majestic NG & LPG ♦	Fret only ♦ Black 9800039 Brass 9800040 Black/Brass 9800075	0.8NG	2.7NG	n/a	6.9NG	Manual	✓	✓	✓	×
	29 Arc NG	White/Grey 05739B1	1.3NG	2.2NG	3.0NG	5.1NG	Manual	✓	✓	✓	×
DGF	30 Spanish Basket NG	Black 05939E1	1.0NG	2.9NG	2.3NG	6.9NG	Manual	✓	✓	✓	×
	31 Black Beauty Unigas NG	Black 0547301	1.6NG	3.5NG	2.2NG	4.9NG	Side control - Integral Piezo ignition	×	✓	×	×
	32 Ultimate Balanced Flue NG >	Brass 0554101 Black 0554121 Chrome 0554111	0.8NG	2.8NG	1.6NG	3.7NG	Manual	×	✓	×	×
	33 Seattle Balanced Flue >	Chrome 05541D8	1.1NG	2.8NG	1.5NG	3.7NG	Manual	×	✓	×	×
	34 Dream Balanced Flue >	Gold 05541E1 Chrome 05541F1 Black 05541G1	1.1NG	2.8NG	1.5NG	3.7NG	Top Control	×	✓	×	×
	35 Decadent Balanced Flue NG >	Brass 0554161 Chrome 0554171	1.1NG	2.8NG	1.5NG	3.7NG	Top Control	×	✓	×	×
	36 Dream Fan Flue NG & LPG ♦>	Gold 0566141 Chrome 0566151 Black 0566161	0.8NG	3.1NG	2.2NG	6.0NG	Manual	✓	✓	×	×
	37 Black Beauty Slimline NG	Black 0534101	1.0NG	4.0NG	1.6NG	5.0NG	Side control - Integral Piezo ignition	✓	✓	✓	✓
	38 Heartbeat OxySAFE NG	Black 0533901	0.8NG	3.6NG	1.5NG	5.0NG	Side control - Integral Piezo ignition	✓	✓	✓	✓
	39 Firelite OxySAFE NG	Black 0534761 Electronic Ignition 0534771	1.0NG	4.0NG	1.6NG	5.6NG	Top control - Integral Piezo ignition	✓	✓	✓	✓
radiant fires	40 Esquire NG	Olive Bronze 0534751 Electronic Ignition 05347D1	1.0NG	4.0NG	1.57NG	5.6NG	Top Control/Electronic Ignition	✓	✓	✓	✓
	41 Brava NG	Mahogany 0534711 Teak 0534701	1.0NG	4.0NG	1.57NG	5.6NG	Top Control	✓	✓	✓	✓
	42 Charm NG	Mahogany 0534731 Teak 0534721	1.0NG	4.0NG	1.57NG	5.6NG	Top Control	✓	✓	✓	✓
	43 Black Beauty Radiant NG	Black 05347A1	1.0NG	4.0NG	1.57NG	5.6NG	Top control - Integral Piezo ignition	✓	✓	✓	✓
solid fuel stoves	44 Arden Wood Burning Stove	Black 0570001	1.0	5.0	—	—	n/a	—	—	✓	×
	45 Willow Wood Burning Stove	Black 0570011	1.0	4.0	—	—	n/a	—	—	✓	×
	45 Hamlet Wood Burning Stove	Black 05044B1	1.0	7.0	—	—	n/a	—	—	✓	×

flue type		installation options	fireplace openings required (mm)									clearances req'd from frame (mm)			appliances (mm)		
Pre-Cast Flue 	No Chimney Or Flue 	Mounting Hearth/Wall	Brick Built Chimney			Prefabricated Flue			Pre-cast Flue			Above	Side (To corner wall)	Below (If Wall mounted)	Fascia Height (A)	Fascia Width (E)	Engine Depth (C)
Height	Width (Min)	Depth	Height	Width (Min)	Depth	Height	Width (Min)	Depth	Height	Width (Min)	Depth						
X	X	H&W▲	553-580	680-744	355	n/a	n/a	n/a	n/a	n/a	n/a	100	75	90	643	819	355
✓●	X	H&W▲	555-575	405-457	225	555-575	405-457	305	555-575	450	225	64	100	100	636	518	225
✓●	X	H&W▲	555-575	405-457	225	555-575	405-457	305	555-575	450	225	69	100	100	631	546	225
✓●	X	H&W▲	555-575	405-457	285	555-575	405-457	305	555-575	450	240	32	100	100	768	545	235
✓●	X	H&W▲	555-575	405-457	285	555-575	405-457	305	555-575	450	240	150	108	100	611	529	235
✓●	X	H&W▲	555-575	405-457	285	555-575	405-457	305	555-575	450	240	155	100	100	605	500	235
✓●	X	H&W▲	535-575	335-435	200	535-575	335-435	150	535-575	335-435	120	90	100	72	610	510	115
✓●	X	H&W▲	555-575	405-457	285	555-575	405-457	305	555-575	450	240	140	108	100	620	560	235
✓●	X	H&W▲	555-575	405-457	285	555-575	405-457	305	555-575	450	240	124	100	100	636	518	235
✓†	X	H&W▲	535-575	335-435	235	535-575	335-435	150	540-575	335-435	138	114	100	72	636	518	135
✓	X	H&W▲	540-575	380-420	195	540-575	410-440	195	540-575	302-420	115	150	178	72	600	470	78
✓	X	H&W▲	555-575	405-457	285	555-575	405-457	305	555-575	335-435	120	122	108	100	638	515	235
✓	X	H&W▲	535-575	335-435	200	535-575	335-435	150	535-575	335-435	120	112	100	72	638	515	115
✓	X	H&W▲	555-575	405-457	285	555-575	405-457	305	555-575	450	240	135	108	100	625	529	235
✓	X	H&W▲	540-575	335-435	235	540-575	335-435	165	540-575	335-435	138	120	100	72	630	529	135
✓†	X	H&W▲	535-575	335-435	200	535-575	335-435	150	535-575	335-435	120	165	100	72	585	450	115
✓●	X	H&W▲	555-575	405-457	218	555-575	405-457	305	555-575	450	186	161	125	100	599	492	186
✓†	X	H&W▲	535-575	335-435	200	535-575	335-435	150	535-575	335-435	120	165	100	72	585	450	115
✓●	X	H&W▲	553-575	405-457	285	555-575	405-457	305	565-575	450	240	88	10	85	612	505	235
✓●	X	H&W▲	555-575	405-457	285	555-575	405-457	305	555-575	450	240	138	65	100	622	631	235
✓●	X	W▲	555-575	405-457	250	535-575	405-457	270	555-575	450	205	156	10	85	702	594	201
✓●	X	H&W▲	555-575	405-457	285	555-575	405-457	305	555-575	450	240	60	10	85	640	930	235
✓●	X	W▲	540-575	336-435	235	540-575	336-435	165	540-575	336-435	1665	122	100	60	640	841	135
✓†	X	H&W▲	535-575	335-435	200	535-575	335-435	150	535-575	335-435	120	150	100	72	600	467	115
✓●	X	H&W▲	555-575	405-457	285	555-575	405-457	305	555-575	450	240	139	100	100	621	530	235
✓†	X	H&W▲	540-575	335-435	235	540-575	335-435	165	540-575	335-435	138	139	100	72	621	530	135
✓●	X	H&W▲	555-575	405-457	218	555-575	405-475	305	555-575	450	186	161	125	100	599	492	186
✓†	X	H&W▲	535-575	335-435	200	535-575	335-435	150	535-575	335-435	120	165	100	72	585	450	115
X	X	H&W▲	460-560 *	380 *	193 *	n/a	n/a	n/a	n/a	n/a	n/a	125	125	85	n/a	400	193
X	X	H&W▲	460-560 *	380 *	193 *	n/a	n/a	n/a	n/a	n/a	n/a	125	125	85	n/a	372	193
X	X	H	460-560	400-430	280	n/a	n/a	n/a	n/a	n/a	n/a	775	178	77	238	380	330
X	X	H	460-560	420	270	n/a	n/a	n/a	n/a	n/a	n/a	860	178	75	n/a	420	340
X	✓	H&W▲	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	670	657	247
X	✓	H	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	607	487	110
X	✓	H	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	607	487	110
X	✓	H	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	480	102	n/a	636	518	110
X	✓	H	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	780	102	n/a	637	545	133
X	✓	H&W▲	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	64	100	88	636	518	125
✓	X	H&W▲	550-610	305-432	165	560-610	407-432	165	610	305-432	63	150	100	100	655	657	247
✓	X	H&W▲	535-610	305-432	165	560-610	407-432	165	610	305-432	63	150	100	100	643	632	53
✓	X	H&W▲	525-610	305-440	165	525-610	380-440	165	525-610	305-440	63	90	50	50	633	620	53
✓	X	H&W▲	544-610	305-440	165	544-610	380-440	165	544-610	305-440	63	90	50	50	609	708	177
✓	X	H&W▲	544-610	305-440	165	544-610	380-440	165	544-610	305-440	63	90	50	50	610	713	177
✓	X	H&W▲	544-610	305-440	165	544-610	380-440	165	544-610	305-440	63	90	50	50	610	713	177
✓	X	H&W▲	550-610	305-440	165	550-610	380-440	165	550-610	305-440	63	95	48	50	625	657	53
X	X	H										-	-	-	497	405	345
X	X	H										-	-	-	458	355	350
X	X	H										-	-	-	535	485	390

The Valor policy is one of continual improvement and development and though accurate at the time of printing, this brochure is not intended to replace the installation manual which provides more detailed information.

FOR TECHNICAL ADVICE CALL  
0844 8711565



Fireslide top control enables you to turn the fire on, off, up or down, without kneeling down.



## Specifications Key

- ♦ LPG conversion kit available.
- † Due to the sheer number of varying flue boxes and pre-cast flues it is not possible to advise on which fires are suitable until the existing fire has been removed. If the width at the rear of the precast flue starter blocks is less than 300mm wide the minimum depth of the opening will be not less than 154mm. When using a replacement chairbrick, fireplace openings required are Height 555-565mm Width 405-445mm Depth 305mm.
- ❖ Order engine as a separate item. Class 1 Coal bed order code 0593901; Class 1 Pebble fuel bed order code 0593941
- Applicable to certain pre-cast flues only when used with the optional extra spacer kit, a rebated surround or false wall may be required.
- ▲ We do recommend the use of a hearth.
- > Balanced flue fires can be installed inset / semi-inset into the wall cavity with the 3" spacer, or flat against the wall with the 5" spacer. Fan Flues can be inset into the wall.

## Efficiencies

Efficiencies quoted on the product pages are quoted in nett calorific value. This is to aid comparison of efficiencies across manufacturers. To use the efficiency value as part of the UK government SAP energy rating of dwellings, then gross efficiency should be used. For details of gross efficiency please refer to the installation manual which is available online at [www.valor.co.uk](http://www.valor.co.uk)

## Accessories

Valor can supply a range of accessories in order to tailor installation requirements

### LPG kits

Order code	Description
0595211 -	For use with class 1 engines
0595221 -	For use with class 2 engines
0595271 -	For use with Eminence only.

### Spacer kits

Order code	Description
05654K1 -	Precast flue spacer kit for suitable inset fires
0595131 -	3" (75mm) Spacer kit for balanced flue inset fires
0595121 -	5" (125mm) Spacer kit

### Vitreous Enamel Stove Flue Pipes

Order code	Description
0591241 -	5" x 1000mm Flue length
0591251 -	5" x 500mm Flue length
0591231 -	4"-5" Flue increaser
0591261 -	5" x 90 Degree tee
0591271 -	5" x Soot box
0591281 -	5" Steel clip

### Add in Boilers - for use with wood burning stoves

Order code	Description
AIB7 -	Add in boiler type 7-1.5kW for Willow
AIB0 -	Add in boiler type 0-1.6kW for Arden
AIB8 -	Add in boiler type 8-2.2kW for Hamlet

### General

0552301 -	Replacement chairbrick inc black & brass trims
0552331 -	Chrome trim only (for use with replacement chairbrick)
0595191 -	Flue spigot extension
05337W2 -	Electronic battery ignition kit
0583141 -	Timber frame kit



**Mixed Sources**

Product group from well-managed forests and other controlled sources  
[www.fsc.org](http://www.fsc.org) Cert no. SGS-COC-003585  
 © 1996 Forest Stewardship Council



For details and to view the Valor collection at your local dealer  
phone: 0845 601 0836 or visit our website [www.valor.co.uk](http://www.valor.co.uk)

Careline **0844 8711 565**

Fax **0121 373 8181**



Valor Fires are delighted to join COCAA to keep harmful products of combustion out of the living room.



All Valor fires comply fully with minimum efficiencies as outlined in the new Part L regulations

As with all products from Valor Fires you can be assured of the following:

### Quality

Unlike most other manufacturers, every single fire manufactured at our purpose built factory in Erdington is gas and leak tested for your peace of mind. Our products are manufactured in accordance with the internationally recognised Quality Management System Standard ISO 9000:2001.

### Assured safety

All our fires are fitted with a flame safety device which cuts off the gas in the unlikely event that the pilot flame is blown out, plus our Oxysafe system which monitors the level of oxygen in the room and cuts off the fire if there is insufficient oxygen in the room.

### After sales service

We are so sure of the quality of our fires that in the unlikely event of any mechanical problems during the warranty period we will send out one of our expert Heateam engineers to rectify the problem free of charge\*.



The service division

**heateam**  
the heat experts

heateam is a Baxi Heating UK operation dedicated to providing state-of-the-art customer service. Its role is to support our products long after they leave our factory.  
Tel: 08706 090081. Email: [service@heateam.co.uk](mailto:service@heateam.co.uk)



### General Notes

All gas appliances must be installed by a competent CORGI Registered Installer and in accordance with the manufacturer's installation instructions and they should not be fitted directly onto a carpet or floor of combustible materials.

Please note that certain parts of the appliance will become hot.

A suitable guard is therefore recommended where the very young or infirm are concerned.

Our policy is one of continual improvement and development. The right to change specification without prior notice is reserved.

Reproduction of colours is as accurate as photographic and printing processes will allow.

The statutory rights of the consumer are not affected.

\*No liability is accepted for problems caused by poor installation or misuse of the product.

Valor Fires, Wood Lane, Erdington, Birmingham B24 9QP.

Baxi Heating U.K. Ltd. is a company registered in England and Wales with company number 03879156.

Registered office: The Wyvern Business Park, Stanier Way, Derby, DE21 6BF.

[www.valor.co.uk](http://www.valor.co.uk)  
tel: 0845 601 0836